

Building Protection Factors for Environmental Exposure to Radionuclides and Monoenergetic Photon Emissions

2019 International MACCS User Group and MACCS Workshop

Elijah Dickson, Ph.D.

Office of Nuclear Reactor Regulation

U.S. Nuclear Regulatory Commission


Presentation Overview

- Background
- Functions and Factors
 - Example calculation
 - Comparisons with other work
- Application
- Technical Bases
 - Housing survey
 - Model development
 - PF calculations
- References

Background

- Building Protection Factors (PF) - Characterize the quality of shielding available to a local population.
 - P = Building Protection Factor
 - D_o = Standard Protected location
 - D = Unprotected Location (Shielded)
- $$P = \frac{D}{D_o}$$
- Generally, two types;
 - Semi-infinite cloud, and
 - Contaminant deposition.
 - Concept of sheltering populations from radiation fallout has been studied since the early-1950
 - National Fallout Shelter Survey.
 - Various methods have been used to estimate Factors (Measurement, Point-kernel- and Monte Carlo calculations)
 - Burson and Profio (1975) are commonly references values (several consequence studies).
 - Limitations...
 - 1950's and 1960's era construction technology and practices.
 - Few building-types. Circular referencing.
 - Applicable to limited source terms...
 - Impractical to develop factors specific to a spectrum of photons emitted by each radionuclide of interest.

Background



Early full-scale shielding measurement with tube and source experimental setup.

Cut to the chase... Functions, Factors, and Results

- **This work – Developed PFs for generic one- and two-story housing-unit models that are source-term dependent.**
 - Simple, referenceable tool to compute tailor-made PF for consequence analysis.
- **Functions –**
 - Based on a series of Monte Carlo photon transport simulations (MCNP5) for 16 monoenergetic energies from 0.10 to 3.0 MeV which characterize the 3D radiation fluence through each housing-unit produced by two idealized, yet realistic, environmental exposure scenarios.
 - (1) Semi-infinite cloud and (2) Deposition on surrounding surfaces.
 - Models based on standard building practices and material properties developed by table-top experiments
 - Simulations results used to develop fitted logarithmic functions correlate an estimated factor to any monoenergetic photon energy up to 3.0 MeV.
 - Compatible with EPA FGR DCFs for external exposures.
- **Factors –**
 - Purpose was to verify Functions ability to predict PFs (instead of performing individual, time-intensive Monte Carlo simulations.)
 - Simulations were performed for a select set of radionuclides to develop radionuclide-specific PF. (ICRP-107 decay data)
 - Xe-135m (~0.3 MeV) – “Low-energy”
 - Cs-137/Ba-137m (~0.6 MeV) – “Medium-energy”
 - Co-60 (>1.0 MeV) - “High-energy”
 - IR-192
- **Result –**
 - Good agreement is achieved between PF Functions and those calculated directly using Monte Carlo methods.
 - Found general agreement with other study results reported on similar structures which applied various computational methods and source-terms.

How the Functions work... example calculation

- House-type: **Two-story, vinyl siding, and asphalt roof**
- Environmental Exposure: **Deposition**
- Source term: **Cs-137/Ba-137m**
- Applicable Protection Factor (PF) Functions:

Second Floor	$PF = 0.0466\ln(x) + 0.5378$	$R^2 = 0.9950$
First Floor	$PF = 0.0491\ln(x) + 0.5540$	$R^2 = 0.9934$
Basement	$PF = -0.0160\ln(x) + 0.0604$	$R^2 = 0.9631$
Weighted Average	$PF = 0.0333\ln(x) + 0.3900$	$R^2 = 0.9924$

Source: Table B5 of E D Dickson and D M Hamby 2016 J. Radiol. Prot. 36 579

- Where x is photon energy in MeV
- Calculation:
 - **Step 1** – Compute a PF for each photon energy (energy range between 0.05-3.0 MeV)
 - **Step 2** – Normalize each PF per nuclide disintegration by multiplying the photon energy %-contribution per disintegration
 - **Step 3** – Sum the Normalized PFs to compute a total PF per nuclide disintegration

Cs-137/Ba-137m Gamma Spectra Data				Protection Factors			
				PF * E-%/dis			
γ-#	MeV	Intensity/dis	E-%/dis	2nd Floor	1st Floor	Basement	Weighted
1	0.004	0.000	0%	3.51E-05	3.54E-05	2.49E-05	2.58E-05
2	0.004	0.000	0%	2.02E-05	2.04E-05	1.40E-05	1.49E-05
:	:	:	:	:	:	:	:
20	0.662	0.898	71%	4.74E-01	4.88E-01	8.34E-02	3.44E-01
PF Sum =				0.51	0.52	0.10	0.37

Steps 1&2

Step 3

Validation: PF Function Prediction vs MCNP-specta			
Location	Predicted	MCNP	%-Difference
Second Floor	0.51	0.51	0.00%
First Floor	0.52	0.52	0.00%
Basement	0.09	0.09	0.00%
Weighted Average	0.37	0.37	0.00%

Note: Excellent Agreement

Radionuclide-specific factors...

Table C2. Two-story housing unit—radionuclide-specific cloud immersion factors.

Wall barrier	Housing-unit type and location	Protection factors				Shielding factors			
		Co-60	Cs-137	Ir-192	Xe-135m	Co-60	Cs-137	Ir-192	Xe-135m
Vinyl siding									
With out basement									
	Second floor	0.89	0.85	0.81	0.83	0.80	0.76	0.72	0.75
	First floor	0.77	0.72	0.67	0.68	0.75	0.70	0.64	0.66
	Weighted average	0.83	0.79	0.74	0.76	0.77	0.73	0.68	0.71
With basement									
	Second floor	0.88	0.85	0.80	0.83	0.80	0.76	0.72	0.75
	First floor	0.76	0.71	0.66	0.67	0.74	0.69	0.63	0.65
	Basement	0.43	0.37	0.32	0.34	0.42	0.36	0.31	0.33
	Weighted average	0.69	0.64	0.60	0.61	0.65	0.60	0.55	0.58
Brick siding									
With out basement									
	Second floor	0.64	0.56	0.50	0.52	0.58	0.49	0.44	0.47
	First floor	0.45	0.36	0.31	0.32	0.44	0.35	0.30	0.31
	Weighted average	0.55	0.46	0.41	0.42	0.51	0.42	0.37	0.39
With basement									
	Second floor	0.64	0.55	0.49	0.52	0.58	0.49	0.44	0.47
	First floor	0.44	0.35	0.31	0.32	0.43	0.34	0.29	0.31
	Basement	0.21	0.16	0.13	0.15	0.21	0.16	0.12	0.15
	Weighted average	0.43	0.36	0.31	0.33	0.41	0.33	0.29	0.31

Source: Table B5 of E D Dickson and D M Hamby 2016 J. Radiol. Prot. 36 579

- Okay to use these if you don't want to go through the trouble to computing your own.

Body of work...

- Dickson E and Hamby D 2016 Building protection- and building shielding-factors for environmental exposure to radionuclides and monoenergetic photon emissions J. Radiol. Prot. 36 579
- Dickson E and Hamby D 2015 Contaminant deposition building shielding factors for US J. Radiol. Prot. 34 317–41
- Dickson E and Hamby D 2014b Cloud immersion building shielding factors for US residential structures J. Radiol. Prot. 34 853–71
- Dickson E and Hamby D 2014a Experimental shielding evaluation of the radiation protection provided by the structurally significant components of residential structures J. Radiol. Prot. 34 201–21
- Dickson E 2013 Experimental shielding evaluation of the radiation protection provided by residential structures Dissertation Corvallis, Oregon State University

Other Items...

- Papers referenced by various organizations (EPA FGR 15, FRMAC, NRC)
- Continued planning/work to develop a ‘utility’ to automate calculations
- Develop PF for other environmental sources (at depth soil contamination)
- Make MCNP housing model input decks publicly available.
- Other continued research...

Application – (Sheltering decisions)



- Single family Housing Community
- 680 units, 1640 residents, 158 people/km²
- Assume unprotected population dose is 1640 person-Gy
- 29%, PF = 0.65
- 71%, PF = 0.36
- Protected dose = 730 person-rem
- Estimated 55% population dose reduction

- ← Manufactured Home Community
- ← 170 units, 680 residents, 1360 people/km²
- ← Assume unprotected population dose is 680 person-Gy
- ← Apply 0.82 PF to each resident under shelter-in-place protective actions.
- ← Protected dose = 558 person-Gy
- ← Estimated 18% population dose reduction



Technical Bases – Multiple steps.

- Defining Generic Homes - Housing Survey
- Model Development -
 - Narrow- and Broad-beam (table-top experiments)
 - Narrow- and Broad-beam computational models (MCNP)
 - Full-scale computational models (MCNP)
- Function- and Factor Development


Technical Bases – Housing Survey

Goal:

Decision tree analysis results

RANK	END STATE	DECISION OUTCOME
1	14.77%	SINGLE SIDING COMP
2	8.24%	SINGLE BRICK COMP
3	7.55%	SINGLE WOOD COMP
4	4.97%	SINGLE SIDING ASPHALT
5	4.89%	SINGLE STUCCO COMP
6	3.13%	MOBILE HOME SIDING METAL
7	2.77%	SINGLE BRICK ASPHALT
8	2.54%	SINGLE WOOD ASPHALT
9	1.67%	APT 2 TO 4 UNITS BRICK COMP
10	1.64%	SINGLE STUCCO ASPHALT

Technical Bases – Model Development



13 experimental photon measurements from 60 Kev to 3 MeV

Source term: Nuclide-specific (ICRP 107) and mono-energetic gamma-rays

Technical Bases – Model Development (Step 1)

- **Narrow-beam measurements** - measure the material absorption ability over a spectrum of photon energies.
 - 14 general construction materials
 - Average attenuation coefficients and effective material properties were developed.




- **Broad-beam measurements** - simulate realistic shielding/free-in-air photon fluence interactions.
 - Ten “shields” were designed and built:
 - 6 walls: vinyl-, brick-, wood-, stucco-, steel-sided, and interior; and
 - 4 Roofs: asphalt-, metal-, shake-, and terracotta-type.



Combination of the 10 shields represent 61% of all homes in the U.S.

Technical Bases – Model Development (Steps 1 and 2)




Narrow Beam Experimental Assembly


Selection of 4 radionuclides (Am-241, Cs-134, Co-60, and Na-24) which collectively emit thirteen characteristic photons within the desired range

13 experimental photon measurements

Photon #	Nuclide	Photon Energy [MeV]
1	Am-241	0.059
2	Cs134	0.475
3	Cs134	0.563
4	Cs134	0.569
5	Cs134	0.605
6	Cs134	0.795
7	Cs134	0.801
8	Cs134	1.039
9	Cs134	1.167
10	Co-60	1.174
11	Co-60	1.333
12	Na24	1.369
13	Na24	2.755




MCNP5 narrow-beam model



MCNP5 broad-beam model

Technical Bases – Model Development (Steps 1 and 2 Results)




Clay brick material Experimental vs Computes attenuation coefficients from 40 Kev to 3 MeV

Note: Validated material parameters identified in the narrow- and broad-beam analyses. Agreement found between all measurements and MCNP calculations over entire energy range.


Technical Bases – Model Development (Step 3 – House Models)

- Use of validated material parameters identified in the narrow- and broad-beam analyses.
- Full-scale housing unit models are based on common housing models typical in U.S. suburbs.
 - **Two-story colonial**, 160 m² livable space (240 m² w/basement).
 - **One-story ranch**, 160 m² livable space (320 m² w/basement).
 - **Single-wide manufactured**, 101 m² livable space.
- Housing Construction Data Parameters
 - **All structural members modeled to general construction standards.**
 - Interior- and exterior walls, floor joists, flooring, rafters.
 - Interior room are 243.8 cm floor-to-ceiling .
 - Symmetrically designed, such that one side mirrors the other.
 - The one-story model is composed of the two floors of the two-story model side-by-side.
 - Foundation are either 20.32 or 33.07 cm thick and raise a standard 60.96 cm above the ground
 - Windows are modeled as generic 91.44 cm by 121.92 cm single-pane glass 0.508 cm thick.
 - No doors are modeled.


Technical Bases – Model Development (Step 3 – House Models)




Isometric view of two-story clay brick and asphalt roof house model



Isometric view of two-story house model framing




Two-story model Z/Y-axis view of right of unit exterior wall




Two-story model X/Y-axis view of first floor

Technical Bases – Model Development (Step 3 – House Models)



Source: guidance for the design and general construction of certain aspects came from Spence (1999)


Technical Bases – Model Development (Step 3 – House Models)



Bird-eye view of exterior wall for
brick and mortar home

Technical Bases – (Step 4 Factor and Function Development)

Illustrative representation of dose calculations...



(a) Standard Unprotection Position (D_0)

(b) Unprotection Position (D)

(c) Protection Position (D)

Building Protection factors -

P = Building Protection Factor

D_0 = Standard Protected location

D = Unprotected Location


$$P = \frac{D}{D_0}$$

Technical Bases – (Step 4 Factor and Function Development)

Results -

- Monte Carlo simulations for 16 monoenergetic photon energies from 0.10 to 3.0 MeV
 - Semi-infinite Cloud
 - Deposition
- Simulation results used to develop fitted logarithmic functions.
 - Correlate an estimated factor to photon energies between 0.10 and 3.0 MeV.
- Accident-specific PFs can be developed with mixed source terms with complicated spectra.
 - RDDs
 - Early-phase nuclear (fresh)
 - Late-phase nuclear (decayed)
 - decommissioning

Figure B3. Two-story housing-unit deposition protection factors versus monoenergetic photon energies.



	Vinyl		Brick	
No Basement			No Basement	
Second Floor	PF = 0.0395ln(x) + 0.5401	R ² = 0.9946	Second Floor	PF = 0.0740ln(x) + 0.2815 R ² = 0.9727
First Floor	PF = 0.0491ln(x) + 0.5557	R ² = 0.9946	First Floor	PF = 0.0905ln(x) + 0.2683 R ² = 0.9767
Weighted Average	PF = 0.0405ln(x) + 0.5484	R ² = 0.9922	Weighted Average	PF = 0.0822ln(x) + 0.2749 R ² = 0.9761
Basement			Basement	
Second Floor	PF = 0.0466ln(x) + 0.5378	R ² = 0.9950	Second Floor	PF = 0.0740ln(x) + 0.2803 R ² = 0.9724
First Floor	PF = 0.0491ln(x) + 0.5540	R ² = 0.9934	First Floor	PF = 0.0905ln(x) + 0.2668 R ² = 0.9755
Basement	PF = -0.0160ln(x) + 0.0604	R ² = 0.9631	Basement	PF = 0.0039ln(x) + 0.0405 R ² = 0.9198
Weighted Average	PF = 0.0333ln(x) + 0.3900	R ² = 0.9924	Weighted Average	PF = 0.0570ln(x) + 0.2009 R ² = 0.9838

References

- Burson Z 1970 *Experimental Evaluation of the Fallout Radiation protection Provided by Structures in the Control Area of the Nevada Test Site* (Washington, DC: US Atomic Energy Commission)
- Burson Z G 1962 *Experimental Evaluation of the Fallout Radiation Protection Provided by Selected Structures in the Los Angeles Area* (Civil Effects Test Operation Report)
- Burson Z G and Profio A E 1975 *Structure Shielding from Cloud and Fallout Gamma Ray Sources for Assessing the Consequences of Reactor Accidents* (Las Vegas, NV: EG&G)
- Burson Z G and Profio A E 1977 Structure shielding in reactor accidents *Health Phys.* **33** 287–99
- Dickson E 2013 Experimental shielding evaluation of the radiation protection provided by residential structures *Dissertation* Corvallis, Oregon State University
- Dickson E and Hamby D 2014a Experimental shielding evaluation of the radiation protection provided by the structurally significant components of residential structures *J. Radiol. Prot.* **34** 201–21
- Dickson E and Hamby D 2014b Cloud immersion building shielding factors for US residential structures *J. Radiol. Prot.* **34** 853–71
- Dickson E and Hamby D 2015 Contaminant deposition building shielding factors for US *J. Radiol. Prot.* **34** 317–41
- EPA 1993 *External Exposure to Radionuclides in Air, Water, and Soil (Federal Guidance Report No. 12)* (Washington, DC: Environmental Protection Agency)
- EPA 1999 *Cancer Risk Coefficients for Environmental Exposure to Radionuclides (Federal Guidance Report No. 13)* (Washington, DC: Environmental Protection Agency)
- ICRP 2008 Nuclear decay data for dosimetric calculations ICRP Publication 107. Ann. ICRP **38** (3)
- Jacob P M, Meckbach R and Muller H 1987 Reduction of external exposures from deposited radioactivity due to run-off, weathering, street-cleaning and migration in the soil *Radiat. Prot. Dosim.* **21** 51–7
- Jacob P M and Meckbach R 1987 Shielding factors and external dose evaluation *Radiat. Prot. Dosim.* **21** 79–85
- LANL, X.-5. M 2005 *MCNP—A General Monte Carlo N-Particle Transport Code, Version 5* (Los Alamos, NM: Los Alamos National Laboratory)
- Meckbach R J, Jacob P and Paretzke H 1988 Gamma exposure due to radionuclides deposited in urban environments. Part 1: KERMA rates from contaminated urban surfaces *Radiat. Prot. Dosim.* **25** 167–79
- Meckbach R A and Jacob P 1988 Gamma exposures due to radionuclides deposited in urban environments. Part II: location factors for different deposition patterns *Radiat. Prot. Dosim.* **25** 181–90
- NRC 1975 *Reactor Safety Study: an Assessment of Accident Risk in US Commercial Nuclear Power Plants, WASH-1400* (Washington, DC: US Nuclear Regulatory Commission)
- US Census 2009 *American Housing Survey for the United States: 2009* (Washington, DC: US Department of Housing and Urban Development)
- US NRC 1990 *MELCOR Accident Consequence Cose System (MACCS)* (Washington DC: US NRC)